

## DALI 2 Switch Interface

The Prolojik PC734-D2M is a compact DALI 2 addressable interface for the connection of light switches. Either retractive or latching switches may be used.

Designed for easy installation, the Prolojik PC734-D2M switch interface has been developed to complement Prolojik addressable lighting control modules and hubs.

The interface has been designed for minimum installed depth, making it ideal for installation into a switch backbox.



### Key Features

- Connection of 2 centre-biased two way and off retractive switch or 4 latching switches
- Remote addressing
- Fits 35mm deep switch backbox
- Push fit terminals for quick connection

### Accessories

- PC101      IR Remote Control

Prolojik | Perspective House | 7 Cliveden Office Village | Lancaster Road  
High Wycombe | Buckinghamshire HP12 3YZ | United Kingdom  
+44 (0)1494 515100 | [info@prolojik.com](mailto:info@prolojik.com) | [prolojik.com](http://prolojik.com)

DALI 2 Switch Interface

Specification

Connections

2-pole terminals (for DA, DA connections)  
3-pole switch terminals – 2 switches:  
COM / 1 / 2  
COM / 3 / 4

Dimensions

40mm x 21mm x 11mm (L x W x H)

Conformity & Standards

EMC immunity EN 50082-1  
EMC emissions EN50081-1  
DALI 2 & NEMA compliant  
IEC Standard 62386-102  
NEMA Standard NS243-2004  
Supports DALI 2 & 3 byte protocol

Environment

Storage  
Temperature: -10°C - +60°C  
Humidity: 0% - 90% non-condensing

In Use

Temperature: 0°C - +56°C  
Humidity: 10% - 90% non-condensing

Installation

Requires 35mm deep backbox or greater  
Switch line should be kept to an absolute minimum, and must be below 2 metres  
Switch line requires screened cable  
DALI is a non isolated bus.  
Switches used with this device must therefore, be mains rated

Power Consumption


6mA nominal consumption at MAX17V DALI bus voltage

As standard the PC734 is supplied with coloured cables – 100mm long 0.5mm²

Common	-	Black
1 (on/up)	-	Green
2 (off/down)	-	Blue
3 (on/up)	-	Yellow
4 (off/down)	-	Red
DALI / DALI	-	Grey / White

Cables are easily removed if not required.  
If cables are not being used – please ensure these are removed.

Technical Data



[Digital Illumination Interface Alliance \(dali-alliance.org\)](https://dali-alliance.org)

DALI Product ID	10272
Product Name	PC734-D2M
Brand Name	Prolojik
Status	Certified: DALI-2
Product Part Number	PC734-D2M
GTIN	5060067818586

Prolojik | Perspective House | 7 Cliveden Office Village | Lancaster Road  
High Wycombe | Buckinghamshire HP12 3YZ | United Kingdom  
+44 (0)1494 515100 | [info@prolojik.com](mailto:info@prolojik.com) | [prolojik.com](https://prolojik.com)

### Wiring

